

CSCI 104

Operator Overloading

Mark Redekopp

Revised: 05/2021

OPERATOR OVERLOADING REVIEW

Operator Overloading Review

Member or Non-member?

- How do you decide if you can make the operator overload function a member function of the class?
- When do you have to use a non-member operator function?

```
// arbitrary precision integer class
class BigInt {
    ...
};
int main(){
    BigInt x, y, z;
    x = y + 5;
}
```

Arguments

- For member function operator overloads, how many input arguments are needed for operator+? For operator! ?

```
// arbitrary precision integer class
class BigInt {
    _____ operator+(
    _____ operator!(
};
int main(){
    BigInt w, x, y, z;
    w = x + y;
    bool flag = !w;
}
```

Operator Overloading Review

Return types

- For class BigInt which models an arbitrary precision integer, what should the return type be for:
 - Operator+
 - Operator==

```
class BigInt {  
public:  
    _____ operator+(const BigInt&);  
    _____ operator==(const BigInt&);  
};  
int main(){  
    BigInt w, x, y, z;  
    w = x + y;  
}
```

Chaining

- Do we need operator overload functions with 2-, 3-, 4-inputs, etc. to handle various use cases?

```
class BigInt {  
    ...  
};  
int main(){  
    BigInt w, x, y, z;  
    w = x + y + z;  
    cout << w << " is a bigint!" << endl;  
}
```

PRE-SUMMER 2021 SLIDES

Function Overloading

- What makes up a signature (uniqueness) of a function
 - name
 - number and type of arguments
- No two functions are allowed to have the same signature; the following 5 functions are unique and allowable...
 - `void f1(int);` `void f1(double, int);`
 - `void f1(double);` `void f1(int, int);`
- We say that “f1” is **overloaded** 5 times
- Notes:
- Return type does NOT make signature unique
 - `int f1();` is considered the same as `void f1();`
- For member functions, 'const' make signature unique
 - `int& List::get()` `int const & List::get() const;`

Operator Overloading

- C/C++ defines operators (+,*,-,,etc.) that work with basic data types like int, char, double, etc.
- C/C++ has no clue what classes we'll define and what those operators would mean for these yet-to-be-defined classes

```

- class complex {
    public:
        double real, imaginary;
};

- Complex c1,c2,c3;
  // should add component-wise
  c3 = c1 + c2;

- class List {
    ...
};

- List l1,l2;
  l1 = l1 + l2;  // should concatenate
                 // l2 items to l1

```

- **We can write custom functions to tell the compiler what to do when we use these operators! Let us learn how...**

```

class User{
public:
    User(string n); // Constructor
    string get_name();
private:
    int id_;
    string name_;
};

```

user.h

```

#include "user.h"
User::User(string n) {
    name_ = n;
}
string User::get_name(){
    return name_;
}

```

user.cpp

```

#include<iostream>
#include "user.h"

int main(int argc, char *argv[]) {
    User u1("Bill"), u2("Jane");
    // see if same username
    // Option 1:
    if(u1 == u2) cout << "Same";

    // Option 2:
    if(u1.get_name() == u2.get_name())
    {   cout << "Same" << endl; }
    return 0;
}

```

user_test.cpp

Two Approaches

- There are two ways to specify an operator overload function
 - Global level function (not a member of any class)
 - As a member function of the class on which it will operate
- Which should we choose?
 - It depends on the left-hand side operand (e.g. `string` + `int` or `iostream` + `Complex`)

Method 1: Global Functions

- Can define global functions with name "operator{+-...}" taking two arguments
 - LHS = Left Hand side is 1st arg
 - RTH = Right Hand side is 2nd arg
- When compiler encounters an operator with objects of specific types it will look for an "operator" function to match and call it
- But what if we need to access private data of some object to implement our operation?
 - A global (non-member) function will not work. We need method 2

```
int main()
{
    int hour = 9;
    string suffix = "p.m.";

    string time = hour + suffix;
    // WON'T COMPILE...doesn't know how to
    // add an int and a string
    return 0;
}
```

```
string operator+(int time, string suf)
{
    stringstream ss;
    ss << time << suf;
    return ss.str();
}

int main()
{
    int hour = 9;
    string suffix = "p.m.";

    string time = hour + suffix;
    // WILL COMPILE TO:
    // string time = operator+(hour, suffix);

    return 0;
}
```

Method 2: Class Members

- C++ allows users to write class member functions that define what an operator should do for a class
- Same naming convention: function name starts with '**operator**' and then the actual operator
- Important: **Left-hand side** is the implied calling object for which the member function is called and **Right-hand side** is passed as the argument
 - **LHS-arg.operator+(RHS-arg);**

```
class Complex
{ public:
    Complex();
    Complex(double r, double i);
    Complex operator+(const Complex &rhs) const;

private:
    double real, imag;
};

Complex Complex::operator+(const Complex &rhs) const
{
    Complex temp;
    temp.real = real + rhs.real;
    temp.imag = imag + rhs.imag;
    return temp;
}

int main()
{
    Complex c1(2,3);
    Complex c2(4,5);
    Complex c3 = c1 + c2;
    // Same as c3 = c1.operator+(c2);
    cout << c3.real << "," << c3.imag << endl;
    // can overload '<<' so we can write:
    // cout << c3 << endl;
    return 0;
}
```

Overloading Notes

- You can overload any operator except the member operator (.), the scope operator (::), and the ternary operator (? :)
 - **Binary operators:** +, -, *, /, ++, --
 - **Comparison operators:** ==, !=, <, >, <=, >=
 - **Assignment:** =, +=, -=, *=, /=, etc.
 - **I/O stream operators:** <<, >>
- You cannot change the operators precedence
 - Multiply must always come before addition
- More questions: <https://isocpp.org/wiki/faq/operator-overloading>

Binary Operator Overloading

- For binary operators, do the operation on a new object's data members and return that object
 - Don't want to affect the input operands data members
 - Difference between: $x = y + z;$ vs. $x = x + z;$
- Normal order of operations and associativity apply (can't be changed)
- Can overload each operator with various RHS types...
 - See next slide

Binary Operator Overloading

```
class Complex
{
public:
    Complex();
    Complex(double r, double i);
    Complex operator+(const Complex &rhs) const;
    Complex operator+(int real) const;
private:
    double real, imag;
};

Complex Complex::operator+(const Complex &rhs) const
{
    Complex temp;
    temp.real = real + rhs.real;
    temp.imag = imag + rhs.imag;
    return temp;
}

Complex Complex::operator+( int real ) const
{
    Complex temp = *this;
    temp.real += real;
    return temp;
}
```

No special code is needed to add 3 or more operands. The compiler chains multiple calls to the binary operator in sequence.

```
int main()
{
    Complex c1(2,3), c2(4,5), c3(6,7);

    Complex c4 = c1 + c2 + c3;
    // (c1 + c2) + c3
    // c4 = c1.operator+(c2).operator+(c3)
    //      = anonymous-ret-val.operator+(c3)

    c3 = c1 + c2;
    c3 = c3 + 5;
}
```

Adding different types
(Complex + Complex vs.
Complex + int) requires
different overloads

Relational Operator Overloading

- Can overload
==, !=, <, <=, >, >=
- Should return **bool**

```
class Complex
{
public:
    Complex();
    Complex(double r, double i);
    Complex operator+(const Complex &rhs) const;
    bool operator==(const Complex &rhs) const;
    double real, imag;
};

bool Complex::operator==(const Complex &rhs) const
{
    return (real == rhs.real && imag == rhs.imag);
}

int main()
{
    Complex c1(2,3);
    Complex c2(4,5);
    // equiv. to c1.operator==(c2);
    if(c1 == c2)
        cout << "C1 & C2 are equal!" << endl;

    return 0;
}
```

Nothing will be displayed

Practice On Own

- In the online exercises, add the following operators to your Str class
 - `operator[]`
 - `operator==(const Str& rhs);`
 - If time do these as well but if you test them they may not work...more on this later!
 - `operator+(const Str& rhs);`
 - `operator+(const char* rhs);`

Non-Member Functions

- What if the user changes the order?
 - int on LHS & Complex on RHS
 - No match to a member function b/c to call a member function the LHS has to be an instance of that class
- We can define a non-member function (global scope function) that takes in two parameters (both the LHS & RHS)
 - May need to declare it as a friend

```
int main()
{
    Complex c1(2,3);
    Complex c2(4,5);
    Complex c3 = 5 + c1;
                // ?? 5.operator+(c1) ??
                // ?? int.operator+(c1) ??
                // there is no int class we can
                // change or write

    return 0;
}
```

Doesn't work without a new operator+ overload

```
Complex operator+(const int& lhs, const Complex &rhs)
{
    Complex temp;
    temp.real = lhs + rhs.real;    temp.imag = rhs.imag;
    return temp;
}

int main()
{
    Complex c1(2,3);
    Complex c2(4,5);
    Complex c3 = 5 + c1;    // Calls operator+(5,c1)
    return 0;
}
```

Still a problem with this code

Can operator+(...) access Complex's private data?

Friend Functions

- A friend function is a function that is not a member of the class but **has access to the private data members of instances** of that class
- Put keyword '**friend**' in function prototype in class definition
- Don't add scope to function definition

```
class Silly
{
    public:
        Silly(int d) { dat = d };
        friend int inc_my_data(Silly &s);
    private:
        int dat;
};

// don't put Silly:: in front of inc_my_data(...)
// since it isn't a member of Silly
int inc_my_data(Silly &a)
{
    s.dat++;
    return s.dat;
}

int main()
{
    Silly cat(5);
    //cat.dat = 8
    // WON'T COMPILE since dat is private

    int x = inc_my_data(cat);
    cout << x << endl;
}
```

Notice inc_my_data is NOT a member function of Silly. It's a global scope function but it now can access the private class members.

Non-Member Functions

- Revisiting the previous problem

```
class Complex
{
public:
    Complex();
    Complex(double r, double i);
    // this is not a member function
    friend Complex operator+(const int&, const Complex& );
private:
    double real, imag;
};

Complex operator+(const int& lhs, const Complex &rhs)
{
    Complex temp;
    temp.real = lhs + rhs.real;    temp.imag = rhs.imag;
    return temp;
}

int main()
{
    Complex c1(2,3);
    Complex c2(4,5);
    Complex c3 = 5 + c1;    // Calls operator+(5,c1)
    return 0;
}
```

Now things work!

Why Friend Functions?

- Can I do the following?
- error: no match for 'operator<<' in 'std::cout << c1'
- /usr/include/c++/4.4/ostream:108: note: candidates are: /usr/include/c++/4.4/ostream:165: note: std::basic_ostream<_CharT, _Traits>& std::basic_ostream<_CharT, _Traits>::operator<<(long int) [with _CharT = char, _Traits = std::char_traits<char>]
- /usr/include/c++/4.4/ostream:169: note: std::basic_ostream<_CharT, _Traits>& std::basic_ostream<_CharT, _Traits>::operator<<(long unsigned int) [with _CharT = char, _Traits = std::char_traits<char>]
- /usr/include/c++/4.4/ostream:173: note: std::basic_ostream<_CharT, _Traits>& std::basic_ostream<_CharT, _Traits>::operator<<(bool) [with _CharT = char, _Traits = std::char_traits<char>]
- /usr/include/c++/4.4/bits/ostream.tcc:91: note: std::basic_ostream<_CharT, _Traits>& std::basic_ostream<_CharT, _Traits>::operator<<(short int) [with _CharT = char, _Traits = std::char_traits<char>]

```
class Complex
{
public:
    Complex();
    Complex(double r, double i);
    Complex operator+(const Complex &rhs) const;
private:
    double real, imag;
};

int main()
{
    Complex c1(2,3);
    cout << c1; // equiv. to cout.operator<<(c1);
    cout << endl;
    return 0;
}
```

Why Friend Functions?

- `cout` is an object of type 'ostream'
- `<<` is just an operator
- But we call it with 'cout' on the LHS which would make "operator<<" a member function of class ostream
- Ostream class can't define these member functions to print out user defined classes because they haven't been created
- Similarly, ostream class doesn't have access to private members of Complex

```
class Complex
{
public:
    Complex();
    Complex(double r, double i);
    Complex operator+(const Complex &rhs) const;
private:
    double real, imag;
};

int main()
{
    Complex c1(2,3);
    cout << "c1 = " << c1;
    // cout.operator<<("c1 = ").operator<<(c1);

    // ostream::operator<<(char *str);
    // ostream::operator<<(Complex &src);

    cout << endl;
    return 0;
}
```

Ostream Overloading

- Can define operator functions as friend functions
- LHS is 1st arg.
- RHS is 2nd arg.
- Use friend function so LHS can be different type but still access private data
- Return the ostream& (i.e. os which is really cout) so you can chain calls to '<<' and because cout/os object has changed

```
class Complex
{
public:
    Complex();
    Complex(double r, double i);
    Complex operator+(const Complex &rhs) const;
    friend ostream& operator<<(ostream&, const Complex &c);
private:
    int real, imag;
};

ostream& operator<<(ostream &os, const Complex &c)
{
    os << c.real << "," << c.imag << "j";
    //cout.operator<<(c.real).operator<<(",").operator<<...
    return os;
}

int main()
{
    Complex c1(2,3), c2(4,5);
    cout << c1 << c2;
    // operator<<( operator<<(cout, c1), c2);
    cout << endl;
    return 0;
}
```

Template for adding ostream capabilities:
friend ostream& operator<<(ostream &os, const T &rhs);
(where T is your user defined type)

Implicit Type Conversion

- Would the following if condition make sense?
- No! If statements want Boolean variables
- But you've done things like this before
 - Operator<>> returns an ifstream&
- So how does ifstream do it?
 - With an "implicit type conversion operator overload"
 - Student::operator bool()
 - Code to specify how to convert a Student to a bool
 - Student::operator int()
 - Code to specify how to convert a Student to an int

```
class Student {  
    private:  int id; double gpa;  
};  
int main()  
{  
    Student s1;  
    if(s1){ cout << "Hi" << endl; }  
    return 0;  
}
```

```
ifstream ifile(filename);  
...  
while( ifile >> x )  
{ ... }
```

```
class Student {  
    private:  
        int id; double gpa;  
    public:  
        operator bool() { return gpa>= 2.0;}  
        operator int() { return id; }  
};  
  
Student s1;  
if(s1)           // calls operator bool() and  
    int x = s1;  // calls operator int()
```

Member or Friend?

Should I make my operator overload be a member of a class, C1?

Ask yourself: *Is the LHS an instance of C1?*

YES

NO

```
C1 objA;  
objA << objB // or  
objA + int
```

YES the operator overload function can be a **member function** of the C1 class since it will be translate to `objA.operator<<(...)`

```
C1 objA;  
objB << objA // or  
int + objA
```

NO the operator overload function should be a **global level (maybe friend) function** such as `operator<<(cout, objA)`. It cannot be a member function since it will be translate to `objB.operator<<(...)`.

Summary

- If the **left hand side** of the operator is an **instance of that class**
 - Make the operator a **member function of a class**...
 - The member function should only take in one argument which is the RHS object
- If the **left hand side** of the operator is an **instance of a different class**
 - Make the operator a **friend function of a class**...
 - This function requires two arguments, first is the LHS object and second is the RHS object

SOLUTION

Operator Overloading Review

Member or Non-member?

- How do you decide if you can make the operator overload function a member function of the class?
 - If the left-hand side operand is a class instance
- When do you have to use a non-member operator function?
 - If the left operand of an operator is NOT an instance of the class, you cannot use a member function

```
// arbitrary precision integer class
class BigInt {
    ...
};
int main(){
    BigInt x, y, z;
    x = y + 5;
}
```

Arguments

- For member function operator overloads, how many input arguments are needed for operator+?
 - Only 1, the left side operand is 'this'
- for operator!
 - None, the left side operand is 'this'

```
// arbitrary precision integer class
class BigInt {
    _____ operator+(const BigInt& rhs);
    _____ operator!();
};
int main(){
    BigInt w, x, y, z;
    w = x + y;
    bool flag = !w;
}
```

Operator Overloading Review

Return types

- For class `BigInt` which models an arbitrary precision integer, what should the return type be for:
 - Operator+: `BigInt` (by value)
 - Operator==: `bool`

```
class BigInt {  
public:  
    BigInt operator+(const BigInt&);  
    bool operator==(const BigInt&);  
};  
int main(){  
    BigInt w, x, y, z;  
    w = x + y;  
}
```

Chaining

- Do we need operator overload functions with 2-, 3-, 4-inputs, etc. to handle various use cases?
 - No, this is why the return type should be `BigInt` to allow for chaining: `x.operator+(y).operator+(z)`, etc.

```
// arbitrary precision integer class  
class BigInt {  
    ...  
};  
int main(){  
    BigInt w, x, y, z;  
    w = x + y + z;  
    cout << w << " is a bigint!" << endl;  
}
```