

# CSCI 104

## Runtime Complexity

Mark Redekopp

David Kempe

Sandra Batista

# Motivation


- You are given a large data set with  $n = 500,000$  genetic markers for 5000 patients and you want to examine that data for genetic markers that maybe correlated to a disease that the patients have.
- You are given two algorithms, Algorithm A and Algorithm B, to solve this problem. You are given the implementation, code, and description of each algorithm.
- You need a solution as soon as possible to give medical professionals more data to advise patients and apply for grants for more funding.
- What do you do?

# Runtime

- It is hard to compare the run time of an algorithm on actual hardware
  - Time may vary based on speed of the HW, etc.
    - The same program may take 1 sec. on your laptop but 0.5 second on a high performance server
- If we want to compare 2 algorithms that perform the same task we could try to count operations (regardless of how fast the operation can execute on given hardware)...
  - But what is an operation?
  - How many operations is: `i++` ?
  - `i++` actually requires grabbing the value of `i` from memory and bringing it to the processor, then adding 1, then putting it back in memory. Should that be 3 operations or 1?
  - Its painful to count 'exact' numbers operations
- Big-O, Big-Ω, and Θ notation allows us to be more general (or "sloppy" as you may prefer)

# Complexity Analysis

- To find upper or lower bounds on the complexity, we must consider the set of all possible inputs,  $I$ , of size,  $n$
- Derive an expression,  $T(n)$ , in terms of the input size,  $n$ , for the number of operations/steps that are required to solve the problem of a given input,  $i$ 
  - Some algorithms depend on  $i$  and  $n$ 
    - Find(3) in the list shown vs. Find(2)
  - Others just depend on  $n$ 
    - Push\_back / Append
- Which inputs though?
  - Best, worst, or "typical/average" case?
- We will always apply it to the "worst case"
  - That's usually what people care about



Note: Running time of an algorithm is not just based on input size ( $n$ ), BUT input size ( $n$ ) and its value ( $i$ )

# Time Complexity Analysis


- Case Analysis is when you determine which input must be used to define the runtime function,  $T(n)$ , for inputs of size  $n$
- **Best-case analysis**: Find the input of size  $n$  that takes the **minimum** amount of time.
- **Average-case analysis**: Find the runtime for all inputs of size  $n$  and take the average of all of the runtimes. (This assumes a distribution over the inputs, but uniform is a reasonable choice.)
- **Worst-case analysis**: Find the input,  $i$ , of size  $n$  that takes the **maximum** amount of time.
- Our focus will be on worst-case analysis, but for many examples, the runtime is the same on any input of size  $n$ . Please consider this as we study them.

# Steps for Performing Runtime Analysis of Algorithms

- We perform **worst-case analysis** in determining the runtime function on inputs of size  $n$ ,  $T(n)$ .
- To do so, we need to find at least one input of size  $n$  that will require the **maximum** runtime of the algorithm.
  - In many of the examples we will examine, the algorithm will take the same amount of running time on any input (i.e. only depend on  $n$ )
- Using that input, express the runtime of the algorithm (on that input case) as a function of  $n$ ,  $T(n)$ .
  - This is done by **stepping through the code and counting the steps** that will be done.
- Once we have a function for the runtime,  $T(n)$ , we apply **asymptotic notation to that function** in order to find the order of growth of the runtime function,  $T(n)$ .

# Asymptotic Notation

- $T(n)$  is said to be  $O(f(n))$  if...
  - $T(n) < a \cdot f(n)$  for  $n > n_0$  (where  $a$  and  $n_0$  are constants)
  - Essentially an upper-bound
  - We'll focus on big-O for the worst case
- $T(n)$  is said to be  $\Omega(f(n))$  if...
  - $T(n) > a \cdot f(n)$  for  $n > n_0$  (where  $a$  and  $n_0$  are constants)
  - Essentially a lower-bound
- $T(n)$  is said to be  $\Theta(f(n))$  if...
  - $T(n)$  is both  $O(f(n))$  AND  $\Omega(f(n))$



# Worst Case and Big- $\Omega$

- What's the lower bound on List::find(val)
  - Is it  $\Omega(1)$  since we might find the given value on the first element?
  - Well it could be if we are finding a lower bound on the 'best case'
- Big- $\Omega$  does **NOT** have to be **synonymous** with 'best case'
  - Though many times it mistakenly is
- You can have:
  - Big-O for the best, average, worst cases
  - Big- $\Omega$  for the best, average, worst cases
  - Big- $\Theta$  for the best, average, worst cases



# Worst Case and Big- $\Omega$

- The key idea is an algorithm may perform differently for different input cases
  - Imagine an algorithm that processes an array of size  $n$  but depends on what data is in the array
- Big- $O$  for the **worst-case** says for **REGARDLESS of** possible inputs the runtime is bound (at-most) by  $O(f(n))$
- Big- $\Omega$  for the **worst-case** is attempting to establish a lower bound (at-least) for the worst case (the worst case is just one of the possible input scenarios)
  - If we look at the first data combination in the array and it takes  $n$  steps then we can say the algorithm is  $\Omega(n)$ .
  - Now we look at the next data combination in the array and the algorithm takes  $n^{1.5}$ . We can now say worst case is  $\Omega(n^{1.5})$ .
- To arrive at  $\Omega(f(n))$  for the **worst-case** requires you simply to find **AN** input case (i.e. the worst case) that requires **at least**  $f(n)$  steps
- Cost analogy...

```
int i; j;
for(i=0; i < n; i++){
    if(a[i][0] == 0){
        for(j=0; j<n; j++)
        {
            a[i][j] = i*j;
        }
    }
}
```

Consider the effect of the 'if' statement. Can it be true for each value of  $i$ ? If we don't want to (or can't) determine this we can assume it will be true and say that the upper bound for the runtime is  $O(n^2)$ . To prove it is  $\Theta(n^2)$  we'd need to prove there is a set of inputs for the a matrix that makes the 'if' true on each iteration (i.e.  $\Omega(n^2)$ ).

# Steps for Deriving $T(n)$

- Considering an input of size  $n$  that requires the maximum runtime, go through each line of the algorithm or code
- Assume elementary operations such as incrementing a variable occur in constant time
- If sequential blocks of code have runtime  $T_1(n)$  and  $T_2(n)$  respectively, then their total runtime will be their sum  $T_1(n)+T_2(n)$
- When we encounter loops, sum the runtime for each iteration of the loop,  $T_i(n)$ , to get the total runtime for the loop.
  - Nested loops often lead to summations of summations, etc.

# Helpful Common Summations

- $\sum_{i=1}^n i = \frac{n(n+1)}{2} = \theta(n^2)$ 
  - This is called the arithmetic series
- $\sum_{i=1}^n \theta(i^p) = \theta(n^{p+1})$ 
  - This is a general form of the arithmetic series
- $\sum_{i=0}^n c^i = \frac{c^{n+1}-1}{c-1} = \theta(c^n)$ 
  - This is called the geometric series
- $\sum_{i=1}^n \frac{1}{i} = \theta(\log n)$ 
  - This is called the harmonic series

# Deriving T(n)

- Derive an expression,  $T(n)$ , in terms of the input size for the number of operations/steps that are required to solve a problem
- If is true => 4 "steps"
- Else if is true => 5 "steps"
- Worst case =>  $T(n) = \theta(1)$

```
#include <iostream>

using namespace std;

int main(int argc, char* argv[])
{
    int i = argc;           1
    int x = 5;             1

    if(i < x){             1
        x--;              1
    }
    else if(i > x){        1
        x += 2;           1
    }
    return 0;
}
```

# Deriving T(n)

- Since loops repeat you have to take the sum of the steps that get executed over all iterations
- $T(n) =$
- $= \sum_{i=0}^{n-1} 4 = 4 + 4 + \dots 4 = 4 * n$   
 $= \theta(n)$

```
#include <iostream>
using namespace std;

int main()
{
    int x;
    for(int i=0; i < N; i++){
        cin >> x;
        if(i < x){
            x--;
        }
        else if(i > x){
            x += 2;
        }
    }
    return 0;
}
```

This code does nothing useful and is just illustrative

# Skills To Gain

- To solve these runtime problems try to break the problem into 3 parts:
- FIRST, **setup the expression** (or recurrence relationship) for the number of operations,  $T(n)$
- SECOND, **solve to get a closed form for  $T(n)$** 
  - Unwind the recurrence relationship
  - Develop a series summation
  - Solve the series summation
- THIRD, **determine the asymptotic bound** for  $T(n)$

# Loops 1

- Derive an expression,  $T(n)$ , in terms of the input size for the number of operations/steps that are required to solve a problem
- $T(n) =$
- $= \sum_{i=0}^{n-1} \sum_{j=0}^{n-1} \theta(1) = \sum_{i=0}^{n-1} \theta(n) = \Theta(n^2)$

```
#include <iostream>


using namespace std;
const int n = 256;
unsigned char image[n][n]
int main()
{
    for(int i=0; i < n; i++){
        for(int j=0; j < n; j++){
            image[i][j] = 0;
        }
    }
    return 0;
}
```

# Matrix Multiply

- Derive an expression,  $T(n)$ , in terms of the input size for the number of operations/steps that are required to solve a problem

- $T(n) =$

- $= \sum_{i=0}^{n-1} \sum_{j=0}^{n-1} \sum_{k=0}^{n-1} \theta(1) = \theta(n^3)$



Traditional Multiply

```
#include <iostream>
using namespace std;
const int n = 256;
int a[n][n], b[n][n], c[n][n];
int main()
{
    for(int i=0; i < n; i++){
        for(int j=0; j < n; j++){
            c[i][j] = 0;
            for(int k=0; k < n; k++){
                c[i][j] += a[i][k]*b[k][j];
            }
        }
    }
    return 0;
}
```



# Sequential Loops

- Is this also  $n^3$ ?
- \_\_\_\_\_
  - 3 for loops, \_\_\_\_\_

```
#include <iostream>
using namespace std;

const int n = /* large constant */;

unsigned char image[n][n]
int main()
{
    for(int i=0; i < n; i++){
        image[0][i] = 5;
    }
    for(int j=0; j < n; j++){
        image[1][j] = 5;
    }
    for(int k=0; k < n; k++){
        image[2][k] = 5;
    }
    return 0;
}
```

# Runtime Practice #1

- Count steps here...
  - Think about how many times if statement will evaluate true

```
for(int i=0; i < n; i++){  
    if (a[i][0] == 0){  
        for (int j = 0; j < i; j++){  
            a[i][j] = i*j;  
        }  
    }  
}
```

**Hint: Arithmetic series**

- $T(n) =$  \_\_\_\_\_ May start with big-O and not worry about input values affecting how many times if statement executes
- $T(n) = \sum_{i=0}^{n-1} (\theta(1)) + \sum_i (\theta(i))$  Distribute to deal with 'if' separately. Not sure which values of  $i$  will trigger the for loop that incurs  $i$  steps
  - In the worst case, how many times can the 'if' statement be true? \_\_\_\_\_
- $T(n) =$

# Runtime Practice #2

- $T(n) =$

```
for(int i=0; i < n; i++){  
    if (i == 0){  
        for (int j = 0; j < n; j++){  
            a[i][j] = i*j;  
        }  
    }  
}
```

You must use your analytical skills to determine how many times the 'if' will trigger and then sum the inner operations that many times.

- $T(n) = \sum_{i=1}^n \left( \theta(1) + O\left(\sum_{j=1}^n \theta(1)\right) \right)$  Use big-O since unsure of how many times if statement executes
  - Important: How many times will the 'if' statement be true?
- $T(n) = \sum_{i=1}^n (\theta(1)) + \sum_i \sum_{j=1}^n \theta(1)$ 
  - The 'if' statement only triggers once! So the inner loop executes only once
- $T(n) =$

# Runtime Practice #3

```

for (int i = 1; i <= n; i++)
{
    int m = sqrt(n);
    if( i % m == 0){
        for (int j=0; j < n; j++)
            cout << j << " ";
    }
    cout << endl;
}
    
```

- $T(n) = \sum_{i=0}^{n-1} (\theta(1) + o(\sum_{j=1}^n \theta(1)))$ 
  - big-O indicates we have not considered the 'if' statement but are setting an upper bound
- $T(n) = \sum_{i=0}^{n-1} \theta(1) + \sum_i \sum_{j=1}^n \theta(1)$  but we need to use our own analysis skills to find the actual values of i that will cause the 'if' to be true?
  - Use some actual values of n (e.g. n=9 or 16). Write out a table to find the pattern.
  - If n=9, the 'if' will trigger \_\_\_ times for i = \_\_\_\_\_
  - If n=16, the 'if' will trigger \_\_\_ times for i = \_\_\_\_\_
  - The dummy variable of a summation must increment \_\_\_\_ at a time
  - Thus, make a table with some dummy variable (k) that increments 1 at a time and find a relationship to the actual variable, i, for when the if statement will trigger.
  - Solve for upper bound of k
 

k	1	2	3	...	Arbitrary k	Stop when k =??
i				...	i = _____	Stop when i = _____

    - Stop when i = \_\_, but i = \_\_\_\_ so we stop when \_\_\_\_\_ thus solve for k to find that the upper-bound for k = \_\_\_\_\_
- $T(n) =$

# Key Skill

- The dummy variable (say  $k$ ) of a summation runs from 1 to an UPPER\_BOUND **incrementing 1 at a time**
- Often our code does work at some other interval such as  $i = \{1\sqrt{n}, 2\sqrt{n}, 3\sqrt{n} \dots\}$  (or actual values that are not incrementing by 1 at a time)
- You must use your own analytical abilities to find an algebraic relationship that converts the dummy variable ( $k=1,2,3,\dots$ ) to the actual values [eg.  $i = f(k) = k\sqrt{n}$  ], usually by making a table of the dummy variable ( $k$ ) and the actual code values/variables ( $i$ )

k	1	2	3	...	Arbitrary k	Stop when k =??
i				...	$i = \underline{\hspace{2cm}}$	Stop when i = $\underline{\hspace{2cm}}$

- Then use that relationship to find the UPPER\_BOUND of the dummy variable
  - In the previous example, we stopped when  $i = n$ , thus we would stop when our dummy variable is  $\sqrt{n}$ . This then is the upper bound.
- **The key skill is to relate the dummy variable to the actual variable values and then find the UPPER BOUND of the dummy variable**

# Runtime Practice #4

- It may seem like you can just look for nested loops and then raise n to that power
  - 2 nested for loops =>  $O(n^2)$
- But be careful!!
- Find  $T(n)$  for this example

```
for (int i = 0; i <= log2(n); i ++)  
  for (int j=0; j < (int) pow(2,i); j++)  
    cout << j << endl;
```

**Hint: Geometric series**

- $\sum_{i=0}^{n-1} \sum_{j=1}^{2^i} \theta(1)$
- =
- Use the geometric sum eqn.
- $= \sum_{i=0}^{n-1} a^i = \frac{1-a^n}{1-a}$
- So our answer is...

# Runtime Practice #5

- $T(n) =$

```
for(int i=1; i <= n; i++){  
    for (int j = 0; j < n; j += i){  
        a[i][j] = i*j;  
    }  
}
```

**Hint: Harmonic series**

- $T(n) = \sum_{i=1}^n (\theta(1) + \sum_j \theta(1)) = \theta(n) + \sum_{i=1}^n \sum_j \theta(1)$

- Manually, determine how many times the j-loop iterates:

- When  $i=1$ ,  $j$  takes on values: \_\_\_\_\_ [Total = \_\_\_\_\_ iters]

- When  $i=2$ ,  $j$  takes on values: \_\_\_\_\_ [Total = \_\_\_\_\_ iters]

- When  $i=3$ ,  $j$  takes on values: \_\_\_\_\_ [Total = \_\_\_\_\_ iters]

- $T(n) = \theta(n) +$

# Runtime Practice #6



- You have to count steps
  - Look at the update statement
  - Outer loop increments by 1 each time so it will iterate N times
  - Inner loop updates by dividing x in half each iteration?
  - After 1<sup>st</sup> iteration => x= \_\_\_\_\_
  - After 2<sup>nd</sup> iteration => x= \_\_\_\_\_
  - After 3<sup>rd</sup> iteration => x= \_\_\_\_\_
  - Say k<sup>th</sup> iteration is last => x = \_\_\_\_\_ = 1
  - Solve for k
  - k = \_\_\_\_\_ iterations
  - $\theta(\text{_____})$

```
#include <iostream>
using namespace std;
const int n = /* Some constant */;

int main()
{
    for(int i=0; i < n; i++){
        int y=0;
        for(int x=n; x != 1; x=x/2){
            y++;
        }
        cout << y << endl;
    }
    return 0;
}
```



# Importance of Complexity



N	O(1)	O(log <sub>2</sub> n)	O(n)	O(n*log <sub>2</sub> n)	O(n <sup>2</sup> )	O(2 <sup>n</sup> )
2	1	1	2	2	4	4
20	1	4.3	20	86.4	400	1,048,576
200	1	7.6	200	1,528.8	40,000	1.60694E+60
2000	1	11.0	2000	21,931.6	4,000,000	#NUM!

**EXTRAS**

# Runtime Practice #7

- $T(n) = \sum_{i=1}^n \left( \theta(1) + O\left(\sum_{j=1}^i \theta(1)\right) \right)$

```
for(int i=0; i < n; i++){
    if ((i% 2) == 0){
        for (int j = 0; j < i; j++)
            a[i][j] = i*j;
    }
    else { a[i][0] = i; }
}
```

- Important: How many times will the 'if' statement be true?

- $T(n) = \sum_{i=1}^n (\theta(1)) + \sum_i \sum_{j=1}^n \theta(1)$

- Find a relationship between a dummy variable, k, that increments by 1 and the values of i that cause the if statement to trigger

k	1	2	3	...	Arbitrary k	Stop when k = (n/2)+1
i	0	2	4	...	i = _____	Stop when i = _____

- $T(n) =$

Recall:  $\sum_{i=1}^n i = \frac{n(n+1)}{2} = \theta(n^2)$

# Runtime Practice #8

```
for(int i=1; i <= n; i*=2){
    for (int j = 0; j < i; j++){
        a[i][j] = i*j;
    }
}
```

**Hint: Geometric series**

- $T(n) =$

- $T(n) = \sum_i (\sum_{j=0}^{i-1} \theta(1)) =$   
 $= \sum_i (\theta(i))$

- The number of iterations of the outer loop requires  
 derivation:

Iter, k	1	2	3	4	...	k	Stop at: $(\log_2 n)$
i after iteration	2	4	8	16	...	$2^k$	Stop at: n

- $T(n) = \sum_{k=1}^{\log_2(n)} \theta(2^k)$

- $T(n) = \theta \left( \frac{2^{\log_2(n)+1} - 1}{2 - 1} \right) = \theta \left( \frac{2^{\log_2(n)+1} - 1}{1} \right) =$   
 $\theta(2n - 1) = \theta(n)$

# Iterative Binary Search

- Assume  $n$  is total array size and let  $L = (\text{end} - \text{start})$ 
  - $L = \#$  of items to be searched
- $T(n) = \sum_k \theta(1)$ 
  - $k$  is the  $\#$  of iterations required
- After 1<sup>st</sup> iteration  $L = n/2$
- After 2<sup>nd</sup> iteration  $L = n/4$
- After 3<sup>rd</sup> iteration  $L = n/8$
- ...
- After  $k$ th iteration  $L = n/2^k$
- We stop when we reach size 0 or 1...when  $k = \log_2(n)$
- $T(n) = \sum_{k=1}^{\log_2(n)} \theta(1) = \theta(\log_2(n))$

```
int main()
{  int data[4] = {1, 6, 7, 9};
   it_bsearch(3,data, 4);
}

int it_bsearch(int target,
               int data[],int len)
{
  int start = 0, end = len, mid;

  while (start < end) {
    mid = (start+end)/2;
    if (data[mid] == target){
      return mid;
    } else if ( target < data[mid]){
      end = mid-1;
    } else {
      start = mid+1;
    }
  }
  return -1;
}
```

# SOLUTIONS

# Sequential Loops

- Is this also  $n^3$ ?
- No!
  - 3 for loops, but not nested
  - $O(n) + O(n) + O(n) = 3 * O(n) = O(n)$

```
#include <iostream>
using namespace std;

const int n = /* large constant */;

unsigned char image[n][n]
int main()
{
    for(int i=0; i < n; i++){
        image[0][i] = 5;
    }
    for(int j=0; j < n; j++){
        image[1][j] = 5;
    }
    for(int k=0; k < n; k++){
        image[2][k] = 5;
    }
    return 0;
}
```

# Runtime Practice #1

- Count steps here...
  - Think about how many times if statement will evaluate true

```
for(int i=0; i < n; i++){  
    if (a[i][0] == 0){  
        for (int j = 0; j < i; j++){  
            a[i][j] = i*j;  
        }  
    }  
}
```

**Hint: Arithmetic series**

- $T(n) = \sum_{i=0}^{n-1} (\theta(1) + O(\sum_{j=1}^i \theta(1)))$  May start with big-O and not worry about input values affecting how many times if statement executes
- $T(n) = \sum_{i=0}^{n-1} (\theta(1)) + \sum_i (\theta(i))$  Distribute to deal with 'if' separately. Not sure which values of i will trigger the for loop that incurs i steps
  - In the worst case, how many times can the 'if' statement be true? Each iteration (i.e. all n values of i)
- $T(n) = \sum_{i=0}^{n-1} (\theta(1)) + \sum_{i=0}^{n-1} (\theta(i))$
- $T(n) = \theta(n) + \sum_{i=0}^{n-1} (\theta(i)) = \theta(n) + \theta\left(\frac{n(n-1)}{2}\right) = \theta(n^2)$



# Runtime Practice #2

- $T(n) =$

```
for(int i=0; i < n; i++){  
    if (i == 0){  
        for (int j = 0; j < n; j++){  
            a[i][j] = i*j;  
        }  
    }  
}
```

You must use your analytical skills to determine how many times the 'if' will trigger and then sum the inner operations that many times.

- $T(n) = \sum_{i=1}^n \left( \theta(1) + O\left(\sum_{j=1}^n \theta(1)\right) \right)$  Use big-O since unsure of how many times if statement executes
  - Important: How many times will the 'if' statement be true?
- $T(n) = \sum_{i=1}^n (\theta(1)) + \sum_i \sum_{j=1}^n \theta(1)$ 
  - The 'if' statement only triggers once! So the inner loop executes only once
- $T(n) = \theta(n) + 1 \cdot \sum_{j=0}^n \theta(1) = \theta(n) + \theta(n) = \theta(n)$

# Runtime Practice #3

```
for (int i = 1; i <= n; i++)
{
    int m = sqrt(n);
    if( i % m == 0){
        for (int j=0; j < n; j++)
            cout << j << " ";
    }
    cout << endl;
}
```

- $T(n) = \sum_{i=0}^{n-1} (\theta(1) + o(\sum_{j=1}^n \theta(1)))$ 
  - big-O indicates we have not considered the 'if' statement but are setting an upper bound
- $T(n) = \sum_{i=0}^{n-1} \theta(1) + \sum_i \sum_{j=1}^n \theta(1)$  but we need to use our own analysis skills to find the actual values of i that will cause the 'if' to be true?
  - Use some actual values of n (e.g. n=9 or 16). Write out a table to find the pattern.
  - If n=9, the 'if' will trigger 3 times for i = 3, 6, 9
  - If n=16, the 'if' will trigger 4 times for i = 4, 8, 12, 16
  - The dummy variable of a summation must increment 1 at a time
  - Thus, make a table with some dummy variable (k) that increments 1 at a time and find a relationship to the actual variable, i, for when the if statement will trigger.
  - Solve for upper bound of k
 

k	1	2	3	...	Arbitrary k	Stop when k =??
i	$1\sqrt{n}$	$2\sqrt{n}$	$3\sqrt{n}$	...	$i = k\sqrt{n}$	Stop when i = n

    - Stop when  $i = n$ , but  $i = k\sqrt{n}$  so we stop when  $k\sqrt{n} = n$  thus solve for k to find that the upper-bound for  $k = \sqrt{n}$
- $T(n) = \theta(n) + \sum_{k=1}^{\sqrt{n}} \sum_{j=1}^n \theta(1) = \theta(n) + \sum_{k=1}^{\sqrt{n}} \theta(n) = \theta(n) + \theta(n \cdot \sqrt{n}) = \theta(n^{3/2})$

# Runtime Practice #4

- It may seem like you can just look for nested loops and then raise n to that power
  - 2 nested for loops =>  $O(n^2)$
- But be careful!!
- Find  $T(n)$  for this example

```
for (int i = 0; i <= log2(n); i ++)  
    for (int j=0; j < (int) pow(2,i); j++)  
        cout << j << endl;
```

**Hint: Geometric series**

- $\sum_{i=0}^{\lg(n)} \sum_{j=1}^{2^i} \theta(1)$
- $= \sum_{i=0}^{\lg(n)} \theta(2^i)$
- Use the geometric sum eqn.
- $= \sum_{i=0}^{n-1} a^i = \frac{1-a^n}{1-a}$
- So our answer is...
- $\frac{1-2^{\lg(n)+1}}{1-2} = \frac{1-2^{*n}}{-1} = \theta(n)$

# Runtime Practice #5

- $T(n) =$

```
for(int i=1; i <= n; i++){  
    for (int j = 0; j < n; j += i){  
        a[i][j] = i*j;  
    }  
}
```

**Hint: Harmonic series**

- $T(n) = \sum_{i=1}^n (\theta(1) + \sum_j \theta(1)) = \theta(n) + \sum_{i=1}^n \sum_j \theta(1)$
- Manually, determine how many times the j-loop iterates:
  - When  $i=1$ ,  $j$  takes on values: 0, 1, 2, 3, ... ,  $n-1$  [Total =  $n$  iters]
  - When  $i=2$ ,  $j$  takes on values: 0, 2, 4, 6, ... ,  $n-2$  or  $n-1$  [Total =  $n/2$  iters]
  - When  $i=3$ ,  $j$  takes on values: 0, 3, 6, 9, ... [Total =  $n/3$  iters]
- $$T(n) = \theta(n) + \left[ \frac{n}{1} + \frac{n}{2} + \frac{n}{3} + \dots + \frac{n}{n} \right] \theta(1)$$
$$= \theta(n) + \left[ \frac{1}{1} + \frac{1}{2} + \frac{1}{3} + \dots + \frac{1}{n} \right] \theta(n)$$
$$= \theta(n) + \left( \sum_{i=1}^n \frac{1}{i} \right) \cdot \theta(n) = \theta(n) + \log n \cdot \theta(n) = \theta(n \cdot \log n)$$

# Runtime Practice #6

- You have to count steps
  - Look at the update statement
  - Outer loop increments by 1 each time so it will iterate N times
  - Inner loop updates by dividing x in half each iteration?
  - After 1<sup>st</sup> iteration  $\Rightarrow x=n/2$
  - After 2<sup>nd</sup> iteration  $\Rightarrow x=n/4$
  - After 3<sup>rd</sup> iteration  $\Rightarrow x=n/8$
  - Say k<sup>th</sup> iteration is last  $\Rightarrow x = n/2^k = 1$
  - Solve for k
  - $k = \log_2(n)$  iterations
  - $\theta(n \cdot \log(n))$

```
#include <iostream>
using namespace std;
const int n = /* Some constant */;

int main()
{
    for(int i=0; i < n; i++){
        int y=0;
        for(int x=n; x != 1; x=x/2){
            y++;
        }
        cout << y << endl;
    }
    return 0;
}
```

# Runtime Practice #7

- $T(n) = \sum_{i=1}^n \left( \theta(1) + O\left(\sum_{j=1}^i \theta(1)\right) \right)$

```
for(int i=0; i < n; i++){
    if ((i% 2) == 0){
        for (int j = 0; j < i; j++)
            a[i][j] = i*j;
    }
    else { a[i][0] = i; }
}
```

- Important: How many times will the 'if' statement be true?

- $T(n) = \sum_{i=1}^n \left( \theta(1) \right) + \sum_i \sum_{j=1}^n \theta(1)$

- Find a relationship between a dummy variable, k, that increments by 1 and the values of i that cause the if statement to trigger

k	1	2	3	...	Arbitrary k	Stop when k = (n/2)+1
i	0	2	4	...	i = 2(k - 1)	Stop when i = n

- $T(n) = \theta(n) + \sum_{k=1}^{\frac{n}{2}+1} \sum_{j=1}^{2(k-1)} \theta(1) = \theta(n) + \sum_{k=1}^{\frac{n}{2}+1} \theta(2k - 1) = \theta(n) + 2 \cdot$

$$\sum_{k=1}^{\frac{n}{2}+1} \theta(k) = \theta(n) + 2 \cdot \theta\left(\left[\frac{n}{2} + 1\right]^2\right) = \theta(n^2)$$

Recall:  $\sum_{i=1}^n i = \frac{n(n+1)}{2} = \theta(n^2)$

# Runtime Practice #8

- $T(n) =$

```
for(int i=1; i <= n; i*=2){  
    for (int j = 0; j < i; j++){  
        a[i][j] = i*j;  
    }  
}
```

**Hint: Geometric series**

- $T(n) = \sum_i \left( \sum_{j=0}^{i-1} \theta(1) \right) =$   
 $= \sum_i (\theta(i))$

- The number of iterations of the outer loop requires  
derivation:

Iter, k	1	2	3	4	...	k	$(\log_2 n)$
i after iteration	2	4	8	16	...	$2^k$	n

- $T(n) = \sum_{k=1}^{\log_2(n)} \theta(2^k)$

- $T(n) = \theta \left( \frac{2^{\log_2(n)+1} - 1}{2 - 1} \right) = \theta \left( \frac{2^{\log_2(n)+1} - 1}{1} \right) =$   
 $\theta(2n - 1) = \theta(n)$